

PATENT
Docket No. 356952000100

CERTIFICATE OF MAILING BY "FIRST CLASS MAIL"

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:
Assistant Commissioner for Patents, Washington, D.C. 20231, on October 10, 1997.

Oct. 10, 1997
DatePatricia A. Johnson
Patricia A. Johnson

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the application of:

D. Solanki, *et al.*

Serial No.: 08/393,956

Filing Date: February 24, 1995

For: PRESSURE SENSOR WITH
TRANSDUCER MOUNTED ON A
METAL BASE

Examiner: B. Ledyne

Group Art Unit: 2103

PETITION FOR EXTENSION OF TIME
37 C.F.R. § 1.136(a)Box FWC
Assistant Commissioner for Patents
Washington, D.C. 20231

Dear Sir:

Applicant petitions the Assistant Commissioner for Patents under 37 C.F.R. § 1.136(a), to extend the time for response to the Final Office action dated April 10, 1997. This extension will extend the time the response is due from July 10, 1997 to October 10, 1997.

- ☒ A three months extension is requested; the extension fee is \$950.00.
- ☐ A *[second/third] month extension is requested; the extension fee is \$*.
- ☐ A *[one/two] month Petition for Extension of Time was previously filed with the appropriate fee on *.


- ☐ The shortened statutory period has been reset by an Advisory Action dated *.
- ☒ A check in the amount of \$950.00 is attached.
- ☐ Charge \$0.00 to Deposit Account No. 03-1952.

The Assistant Commissioner is hereby authorized to charge any additional fees under 37 C.F.R. §§ 1.16 and 1.17 that may be required by this petition, or to credit any overpayment to Deposit Account No. 03-1952. A duplicate copy of this petition is enclosed for that purpose.

Dated: October 10, 1997

Respectfully submitted,

By:



Charles D. Holland
Registration No. 35,196
Filed under § 1.34(a)

Morrison & Foerster LLP
755 Page Mill Road
Palo Alto, California 94304-1018
Telephone: (650) 813-5832
Facsimile: (650) 494-0792

FAX COPY RECEIVED

DEC 1 1997

GROUP 2100